Mperia V-Series

Low ink consumption and increased reliability

- Tilt function for variable character height
- High quality prints at line speeds, up to 240 m/s
- Patented nozzle design to eliminate nozzle blockages











Matthews drop on demand (DOD) technology has a performance record of solving the most challenging, industrial and packaging coding applications.

Reliability

With only one moving part, this printhead features a more reliable design with extremely long standby times and reduced maintenance requirements. With 500 times less ink in the plunger, this new range of printheads not only achieves high resolution printing but also lower ink consumption. The extremely short nozzle path (<10mm) ensures that any dried ink simply pushes out after extended standby.

Robust

Matthews Swedot print heads, which constitute the heart of the printing system, are based on a patented valve technology.

Precision jewels set in a stainless steel faceplate provide dramatically lower ink consumption and high print quality To describe it simply, our printheads propel drops of ink from a pressurized ink chamber when a sealing valve is quickly opened by a magnetic force. In addition it lasts 6 billion cycles before tuning outlasting competition.

Flexibility

The Mperia V-Series 8000+ printheads present the flexibility to easily modify character heights from 5mm and 128mm, large character marking can be achieved by stacking several printheads on top of each other to make large graphic, such as a logotype. Numerous lines of text are possible or higher resolution graphics with the selection of 7, 16 or 32 valves combination. Fast start-up and color change without purging.









capture care 24x7



Technical Specifications Mperia V-Series



	Printhead Type	Min. Char. Size	Max. Char. Size	Max Speed ⁽¹⁾	Max. Print Distance(3)	3-Way Valve(5)	Dimensions
8000+ Maxi	8000+ 7-Valve	6.35mm	31.75mm	3.96mps ⁽¹⁾	12.7mm		L 191 x W 42.7 x H 123mm
	8000+ 16-Valve	6.35mm	63.5mm	3.96mps (1)	12.7mm	Yes	L 190 x W 44 x H 159mm
	8000+ 32-Valve	6.35mm	127mm	3.96mps ⁽¹⁾	12.7mm	Yes	L 190 x W 44 x H 159mm
8000+ Midi	8000+ 7-Valve	4.76mm	31.75mm	2.03mps (2)	12.7mm		L 191 x W 42.7 x H 123mm
	8000+ 16-Valve	4.76mm	63.5mm	2.03mps (2)	12.7mm	Yes	L 190 x W 44 x H 159mm
	8000+ 32-Valve	4.76mm	127mm	2.03mps (2)	12.7mm	Yes	L 190 x W 44 x H 223.4mm
8000+ Mini IP65- 7-Valve Printhead available for washdown applications. ⁽⁴⁾	8000+ 7-Valve	2.38mm	31.75mm	2.03mps (2)	6.35mm		L 191 x W 42.7 x H 123mm
	8000+ 16-Valve	2.38mm	63.5mm	2.03mps (2)	6.35mm	Yes	L 190 x W 44 x H 159mm
	8000+ 32-Valve	2.38mm	127mm	2.03mps (2)	6.35mm	Yes	L 190 x W 44 x H 223.4mm
Controllers	Mperia V84						
Inks	Water based, Water fast, Alcohol (n-propylene, ethanol), MEK, Acetone, Pigmented.						

⁽¹⁾ At 1.8mm spacing (2) At 1.0mm spacing (3) At <1.016 mps (4) IP65 Dia. 87.5 x L 132.0mm

⁽⁵⁾ Uniquie 3-way valve enables you to quickly purge solvent, minimizing maintenance and downtime.

















