

Edding Portable

Simple Print Versatility

- Robust German high-quality printing solution
- Ergonomic all-in-one design
- Unique range of performance inks



THERMAL INKJET
PRINTERS



Introducing Edding's Smart Mobile Printer

The Edding Portable enables product identification wherever your items are located. Ideal in operations requiring less frequent offline printing and also as a backup option to other existing marking systems.

Anywhere

- The ergonomically designed handheld allows the flexibility to print onto your products wherever stored.
- An integrated speed encoder automatically adjusts to the user's movement, ensuring excellent print quality with every use.
- The positioning laser supports easier visual indication of print placement.
- Numerous connectivity options for message creation and management, including the simple onboard touchscreen and keyboard. Additionally, an optional Wi-Fi dongle can enable the use of mobile devices, tablets or PC's.

Anything

- Extensive range of advanced performance inks capable of printing on almost every material and surface.
- High resolution print quality configurable up to 600 DPI.
- 15 different in-built barcodes available including QR, Data Matrix, GS1 and EAN.

Anytime

- The 4Ah Metabo LIHD industrial battery allows up to 12 hours of operating time which can be extended through the use of a larger 10Ah high performance battery for 30 hours of non-stop operation.
- Developed and manufactured in Germany and supported by 24-month warranty.
- Packaged in an all-in-one, stackable robust Swiss carry case.



code



check



capture



care 24x7

1300 263 464

www.matthews.com.au


matthews
intelligent identification

Technical Specifications Edding Portable



THERMAL INKJET PRINTERS



297mm



Key Performance	
Print technology	High-resolution Thermal Inkjet
Print quality	Up to 600 DPI
Print height	1mm to 12.7mm
Messages	Internal memory for over 100,000 texts and logos
Hardware Features	
<ul style="list-style-type: none"> Capacitive 4.3" colour LCD touchscreen Inbuild automatic speed encoder Integrated laser positioning line 	<ul style="list-style-type: none"> 6 LED displays (on/off, print, low ink-level, alarm, print direction left/right) Impact-resistant aluminum housing with a stainless-steel front deflector plate
Message Capability	
<ul style="list-style-type: none"> Intuitive user interface with genuine WYSIWYG print preview Automatic wizards for printer setup Graphic instructions for installation and maintenance in printer display Print options: Alphanumeric characters and logos, date/time, counter, batch/box number, 1D and 2D barcodes 	Barcodes <ul style="list-style-type: none"> Linear - Code 39, Code 25 Standard, Code 128, Code 128 (GS1), EAN 8, EAN 13, EAN 14. 2D barcodes: Aztec, DataMatrix, QR Code, DataMatrix (GS1)
Ink Range	
<ul style="list-style-type: none"> Extensive range of non-porous and specialty inks 	
Connections / Interfacing	
<ul style="list-style-type: none"> RJ45 connection: <ul style="list-style-type: none"> Input via precise touchscreen, wireless keyboard Optional WiFi dongle to connect mobile devices or PC 	<ul style="list-style-type: none"> 2 x USB high-speed inputs
Physical Characteristics	
Battery Charger Operating temperature range Humidity range (r.h., non-condensing) Weight	Metabo LIHD premium industrial battery (4000mAh) Charger AC 100-240 V, 50/60 Hz, A, beeper 5 – 45°C 90% max 1.2 Kg (without battery and ink cartridge)
Regulatory approvals	
<ul style="list-style-type: none"> Electrical Safety Standards: AS/NZS 3820, AS/NZS 4024.1204, IEC 60204, CE Low Voltage Directive, CE Machinery Directive 	<ul style="list-style-type: none"> EMC Standards: EN/IEC 61000, CE Electromagnetic Compatibility

Eldred operates a policy of continuous product improvement and reserves the right to change the specification of products without notice.



code



check



capture



care 24x7